

2025 有効積算温度による発蛾予測									
地点八代				2025/6/18		現在			
月	日	予察灯誘殺数			予察灯誘殺での 予測日 6月8日起算	平均気温 黒字:本年 赤字:平年	平均気温 -11.1℃ (発育0点)	有効 積算温度 (385日 度)	積算温度 (875日 度)
		千丁	鏡	合計					
4	1	0	0	0		8.2	-2.9		
4	2	0	0	0		11.8	0.7		
4	3	0	0	0		11.0	-0.1		
4	4	0	0	0		10.7	-0.4		
4	5	0	0	0		13.5	2.4		
4	6	0	0	0		13.9	2.8		
4	7	0	0	0		13.0	1.9		
4	8	0	0	0		15.9	4.8		
4	9	0	0	0		18.7	7.6		
4	10	0	0	0		18.6	7.5		
4	11	0	0	0		16.9	5.8		
4	12	1	0	1	越冬世代発蛾最盛実測日	15.2	4.1		
4	13	0	0	0	産卵前期間 (3日)	13.6	2.5		
4	14	0	0	0		13.7	2.6		
4	15	0	0	0		11.8	0.7		
4	16	1	0	1		16.4	5.3	5.3	16.4
4	17	0	0	0		20.1	9.0	14.3	36.5
4	18	1	0	1		20.8	9.7	24.0	57.3
4	19	1	0	1		19.9	8.8	32.8	77.2
4	20	0	1	1		19.7	8.6	41.4	96.9
4	21	0	2	2		21.1	10.0	51.4	118.0
4	22	0	0	0		20.0	8.9	60.3	138.0
4	23	0	0	0		17.6	6.5	66.8	155.6
4	24	0	0	0		16.5	5.4	72.2	172.1
4	25	0	0	0		16.9	5.8	78.0	189.0
4	26	0	0	0		15.8	4.7	82.7	204.8
4	27	0	0	0		18.1	7.0	89.7	222.9
4	28	0	0	0		15.8	4.7	94.4	238.7
4	29	0	0	0		15.8	4.7	99.1	254.5
4	30	0	1	1		17.4	6.3	105.4	271.9
5	1	0	0	0		19.4	8.3	113.7	291.3
5	2	0	0	0		17.0	5.9	119.6	308.3
5	3	0	0	0		18.3	7.2	126.8	326.6
5	4	0	0	0		17.8	6.7	133.5	344.4
5	5	0	0	0		16.8	5.7	139.2	361.2
5	6	0	0	0		16.8	5.7	144.9	378.0
5	7	0	2	2		17.5	6.4	151.3	395.5
5	8	0	3	3		18.7	7.6	158.9	414.2
5	9	0	0	0		19.5	8.4	167.3	433.7
5	10	0	0	0		19.6	8.5	175.8	453.3
5	11	0	0	0		15.5	4.4	180.2	468.8
5	12	0	0	0		17.6	6.5	186.7	486.4
5	13	0	0	0		18.4	7.3	194.0	504.8
5	14	0	0	0		20.0	8.9	202.9	524.8
5	15	0	0	0		21.4	10.3	213.2	546.2
5	16	0	0	0		22.8	11.7	224.9	569.0
5	17	0	0	0		22.4	11.3	236.2	591.4
5	18	0	1	1		20.1	9.0	245.2	611.5
5	19	0	0	0		21.1	10.0	255.2	632.6
5	20	0	1	1		23.5	12.4	267.6	656.1
5	21	0	0	0		22.3	11.2	278.8	678.4
5	22	0	0	0		21.5	10.4	289.2	699.9
5	23	1	1	2		22.1	11.0	300.2	722.0
5	24	1	0	1		20.9	9.8	310.0	742.9
5	25	0	0	0		17.8	6.7	316.7	760.7
5	26	0	0	0		17.5	6.4	323.1	778.2
5	27	1	0	1		19.9	8.8	331.9	798.1
5	28	2	0	2		20.8	9.7	341.6	818.9
5	29	2	0	2		20.0	8.9	350.5	838.9
5	30	0	0	0		18.7	7.6	358.1	857.6
5	31	1	0	1		19.6	8.5	366.6	877.2
6	1	1	0	1	第1世代発蛾最盛実測日	20.7	9.6	376.2	
6	2	0	0	0		18.8	7.7	383.9	
6	3	0	0	0		19.7	8.6	392.5	
6	4	0	3	3	第1世代発蛾最盛実測日	21.9	10.8		
6	5	0	2	2	産卵前期間 (3日)	21.6	10.5		
6	6	2	1	3		22.3	11.2		
6	7	1	1	2		23.5	12.4		
6	8	1	1	2		21.4	10.3	10.3	21.4
6	9	0	3	3		21.1	10.0	20.3	42.5
6	10	0	1	1		24.4	13.3	33.6	66.9
6	11	0	3	3		22.8	11.7	45.3	89.7
6	12	1	1	2		22.7	11.6	56.9	112.4
6	13	1	4	5		26.4	15.3	72.2	138.8
6	14	0	1	1		26.1	15.0	87.2	164.9
6	15	0	2	2		25.7	14.6	101.8	190.6
6	16	0		0		27.3	16.2	118.0	217.9
6	17			0		26.6	15.5	133.5	244.5
6	18			0		23.4	12.3	145.8	267.9
6	19			0		23.5	12.4	158.2	291.4
6	20			0		23.6	12.5	170.7	315.0
6	21			0		23.7	12.6	183.3	338.7
6	22			0		23.9	12.8	196.1	362.6
6	23			0		24.0	12.9	209.0	386.6
6	24			0		24.2	13.1	222.1	410.8
6	25			0		24.3	13.2	235.3	435.1
6	26			0		24.5	13.4	248.7	459.6
6	27			0		24.7	13.6	262.3	484.3
6	28			0		24.8	13.7	276.0	509.1
6	29			0		25.0	13.9	289.9	534.1
6	30			0		25.2	14.1	304.0	559.3
7	1			0		25.3	14.2	318.2	584.6
7	2			0		25.5	14.4	332.6	610.1
7	3			0		25.6	14.5	347.1	635.7
7	4			0		25.8	14.7	361.8	661.5
7	5			0		25.9	14.8	376.6	687.4
7	6			0	第2世代発蛾最盛予測日	26.1	15.0	391.6	713.5
7	7			0	産卵前期間 (3日)	26.2	15.1		739.7
7	8			0		26.4	15.3		766.1
7	9			0		26.5	15.4		792.6
7	10			0		26.6	15.5		819.2
7	11			0		26.7	15.6		845.9
7	12			0		26.8	15.7		872.7
7	13			0		26.9	15.8		899.6
7	14			0		27.0	15.9		
7	15			0		27.1	16.0		
7	16			0		27.2	16.1		
7	17			0		27.3	16.2		
7	18			0		27.4	16.3		
7	19			0		27.5	16.4		
7	20			0		27.5	16.4		
7	21			0		27.6	16.5		
7	22			0		27.7	16.6		
7	23			0		27.8	16.7		
7	24			0		27.9	16.8		
7	25			0		27.9	16.8		
7	26			0		28.0	16.9		
7	27			0		28.0	16.9		
7	28			0		28.1	17.0		
7	29			0		28.1	17.0		
7	30			0		28.2	17.1		
7	31			0		28.2	17.1		

注1) 越冬世代の発蛾最盛日は、予察灯調査による誘殺最盛日を使用した。
注2) 誘殺地点は、アグリシステム総合研究所(八代市鏡)とJAやつしろい業センター(八代市千丁)に設置。